INDEX

AAMODT, R. E. *See* DAVIDSON, R. C., YANG, T.-Y. and AAMODT, R. E.

ABDEL-GAWAD, H. I. Dynamical evolution of three-dimensional kinetic electron-beam instabilities, 1

ABDEL-GAWAD, H. I. On the power law for the wave spectrum, 333

ÅKERSTEDT, H. O. Drift-kinetic stability analysis of Z-pinches, 45

BABOOLAL, S., BHARUTHRAM, R. and HELLBERG, M. A. Arbitrary-amplitude theory of ion-acoustic solitons in warm multi-fluid plasmas, 341

BASIOS, V. *See* VARVOGLIS, H. and BASIOS, V.

BEN-DOR, G. *See* RAKIB, Z., MOND, M., BEN-DOR, G. and IGRA, O.

BERTRAM, W. K. A quasi-static equilibrium model of the rotamak, 61

BERTRAM, W. K. Investigation into the localized co-interchange instabilities in a rotamak plasma, 517

BHARUTHRAM, R. *See* BABOOLAL, S., BHARUTHRAM, R. and HELLBERG, M. A.

BRIZARD, A. Nonlinear gyrokinetic Maxwell–Vlasov equations using magnetic coordinates, 541

BRODIN, G. and STENFLO, L. Three-wave coupling coefficients for magnetized plasmas with pressure anisotropy, 199

CADEŽ, V. M. and OKRETIČ, V. K. Leakage of MHD surface waves in structured media, 23

CHAUDHRY, M. B. and TAHIR, M. D. Ion- and electron-acoustic waves in sheet plasmas, 281

CHUTIA, J. *See* NAKAMURA, Y. and CHUTIA, J.

CREW, G. B. Lower-hybrid wave generation in an electron beam of finite transverse dimension, 119

CUPERMAN, S. *See* ZOLER, D. and CUPERMAN, S.

DAHIYA, R. P. *See* SINGH, S. and DAHIYA, R. P.

DAS, K. P. and VERHEEST, F. Ion-acoustic solitons in magnetized multi-component plasmas including negative ions, 139

DAS, K. P., KAMP, L. P. J. and SLUIJTER, F. W. Three-dimensional stability of solitary shear kinetic Alfvén waves in low-beta plasma, 171

DAVIDSON, R. C., YANG, T.-Y. and AAMODT, R. E. Weakly relativistic nonlinear orbit dynamics for intense ordinary-mode propagation near electron cyclotron resonance, 405

DE ANGELIS, U. *See* SHUKLA, P. K., DE ANGELIS, U. and JOVANOVIĆ, D.

DE LA TORRE, A. and DUHAU, S. Absolute stability in a collisionless electron-heat-conducting plasma in strong magnetic fields, 107

DUHAU, S. *See* DE LA TORRE, A. and DUHAU, S.

DWIVEDI, C. B., TIWARI, R. S., SAYAL, V. K. and SHARMA, S. R. Acoustic-like modes in a two-ion quasi-neutral plasma: linear and nonlinear analysis, 219

FAGHIHI, M. *See* SCHEFFEL, J. and FAGHIHI, M.

FRYCZ, P. and INFELD, E. Self-focusing of nonlinear ion-acoustic waves and solitons in magnetized plasmas. Part 3. Arbitrary angle perturbations, period doubling of waves, 441

HELLBERG, M. A. *See* BABOOLAL, S., BHARUTHRAM, R. and HELLBERG, M. A.

HITCHON, W. N. G. Convective plasma transport modelled with propagators, 323

HUSSEIN, A. M. Generation and radiation of third harmonics by *s*-polarized electromagnetic waves incident on a narrow inhomogeneous magnetoactive plasma layer, 31

IGRA, O. *See* RAKIB, Z., MOND, M., BEN-DOR, G. and IGRA, O.

INFELD, E. *See* FRYCZ, P. and INFELD, E.

JAIN, V. K. *See* TALUKDAR, I., TRIPATHI, V. K. and JAIN, V. K.

JOVANOVIĆ, D. *See* SHUKLA P. K., DE ANGELIS U. and JOVANOVIĆ, D.

KAMP, L. P. J. *See* DAS, K. P., KAMP, L. P. J. and SLUIJTER, F. W.

KARPMAN, V. I. and SHAGALOV, A. G. Influence of dispersion on the modulational instability of a whistler wave, 289

KIM, S. H. Corrigendum, 573

KNORR, G. and PÉCSELI, H. L. Asymptotic state of the finite-Larmor-radius guiding-centre plasma, 157

LEHNERT, B. *See* SCHEFFEL, J. and LEHNERT, B.

MAGGS, J. E. and MORALES, G. J. Electrostatic whistler-mode conversion at plasma resonance, 301

MARSCH, E. and TU, C-Y. Dynamics of correlation functions with Elsässer variables for inhomogeneous MHD turbulence, 479

MCKENZIE, J. F. and NAIDU, K. Rossby-type electrostatic electron plasma waves, 395

MOND, M. *See* RAKIB, Z., MOND, M., BEN-DOR, G. and IGRA, O.

MORALES, G. J. *See* MAGGS, J. E. and MORALES, G. J.

MURTAZA, G., SHUKLA, P. K., YU, M. Y. and STENFLO, L. Nonlinear magnetic electron drift waves in magnetized plasmas, 257

NAIDU, K. *See* MCKENZIE, J. F. and NAIDU, K.

NAKAMURA, Y. and CHUTIA, J. Reflection of ion-acoustic waves from bipolar potential structures, 243

NICHOLAS, D. J. and SAJJADI, S. G. The effect of light filamentation on uniformity of energy deposition in laser plasmas, 209

NORWOOD, J. A stable stationary solution of compressible magnetohydrodynamics associated with conservation of modified kinetic helicity, 561

OKRETIČ, V. K. *See* CADEŽ, V. M. and OKRETIČ, V. K.

PAKIRA, G. *See* PAUL, S. N., SUR, A. K. and PAKIRA, G.

PAKIRA, G. *See* ROY CHOWDHURY, A., PAKIRA, G. and PAUL, S. N.

PAUL, S. N., SUR, A. K. and PAKIRA, G. Wavenumber shift of an obliquely propagating ion-cyclotron whistler, 37

PAUL, S. N. *See* ROY CHOWDHURY, A., PAKIRA, G. and PAUL, S. N.

PÉCSELI, H. L. *See* KNORR, G. and PÉCSELI, H. L.

PERT, G. J. Two-dimensional hydrodynamic models of laser-produced plasmas, 263

RAKIB, Z., MOND, M., BEN-DOR, G. and IGRA, O. The flow field induced by spherical blast waves propagating into perfect and imperfect dusty gases, 355

ROBERTS, B. *See* SEDLÁČEK, Z. and ROBERTS, B.

ROY CHOWDHURY, A., PAKIRA, G. and PAUL, S. N. On the higher-order corrections to the ion-acoustic cnoidal waves in a relativistic plasma with cold ions and two-temperature electrons, 447

SAJJADI, S. G. *See* NICHOLAS, D. J. and SAJJADI, S. G.

SAYAL, V. K. *See* DWIVEDI, C. B., TIWARI, R. S., SAYAL, V. K. and SHARMA, S. R.

SCHEFFEL, J. and FAGHIHI, M. Finite-Larmor-radius effects on Z-pinch stability, 427

SCHEFFEL, J. and LEHNERT, B. Large-Debye-distance effects in a homogeneous plasma, 493

SEDLÁČEK, Z. and ROBERTS, B. Resonance absorption of energy by a cold inhomogeneous plasma, 97

SHAGALOV, A. G. *See* KARPMAN, V. I. and SHAGALOV, A. G.

SHARMA, S. R. *See* DWIVEDI, C. B., TIWARI, R. S., SAYAL, V. K. and SHARMA, S. R.

SHIVAMOGGI, B. K. Nonlinear ion-acoustic waves in a magnetized plasma and the Zakharov–Kuznetsov equation, 83

SHUKLA, P. K. *See* MURTAZA, G., SHUKLA, P. K., YU, M. Y. and STENFLO, L.

SHUKLA, P. K., DE ANGELIS, U. and JOVANOVIĆ, D. Coupling between Varma, modified convective cell and Alfvén modes in an inhomogeneous plasma, 469

SINGH, S. and DAHIYA, R. P. Propagation characteristics and reflection of an ion-acoustic soliton in an inhomogeneous plasma having warm ions, 185

SIVA RAMA PRASAD, P. V. *See* TRIPATHI, V. K. and SIVA RAMA PRASAD, P. V.

SLUIJTER, F. W. *See* DAS, K. P., KAMP, L. P. J. and SLUIJTER, F. W.

STENFLO, L. and YU, M. Y. Nonlinear frequency shift of finite-amplitude electrostatic surface waves, 239

STENFLO, L. *See* BRODIN, G. and STENFLO, L.

STENFLO, L. *See* MURTAZA, G., SHUKLA, P. K., YU, M. Y. and STENFLO, L.

SUR, A. K. *See* PAUL, S. N., SUR, A. K. and PAKIRA, G.

SWATERS, G. E. A perturbation theory for the solitary-drift-vortex solutions of the Hasegawa–Mima equation, 523

TAHIR, M. D. *See* CHAUDHRY, M. B. and TAHIR, M. D.

TALUKDAR, I., TRIPATHI, V. K. and JAIN, V. K. Whistler instability in a magnetospheric duct, 231

TIWARI, R. S. *See* DWIVEDI, C. B., TIWARI, R. S., SAYAL, V. K. and SHARMA, S. R.

TRIPATHI, V. K. and SIVA RAMA PRASAD, P. V. OTSI of lower-hybrid waves in large- and small-size devices, 13

TRIPATHI, V. K. *See* TALUKDAR, I., TRIPATHI, V. K. and JAIN, V. K.

TU, C-Y. *See* MARSCH, E. and TU, C-Y.

VAHALA, G. *See* ZHOU, Y. and VAHALA, G.

VARVOGLIS, H. and BASIOS, V. Stochastic acceleration and heating of ions by a non-sinusoidal magnetosonic wave, 381

VERHEEST, F. *See* DAS, K. P. and VERHEEST, F.

YANG, T.-Y. *See* DAVIDSON, R. C., YANG, T.-Y. and AAMODT, R. E.

YU, M. Y. *See* MURTAZA, G., SHUKLA, P. K., YU, M. Y. and STENFLO, L.

YU, M. Y. *See* STENFLO, L. and YU, M. Y.

ZANK, G. P. A cosmic-ray-driven plasma instability, 89

ZHOU, Y. and VAHALA, G. Forced Alfvén-wave turbulence and subgrid-scale closure, 67

ZOLER, D. and CUPERMAN, S. An analytical solution to the Boltzmann–Fokker-Planck equation for multi-component non-homogeneous plasmas, 457

BOOK REVIEWS

Instabilities in Space and Laboratory Plasmas by D. B. Melrose, 575
Cosmic Magnetism by Percy Seymour, 576